



Street Name	From	To	Usage	Year Last Resurfaced (if no date is found, assume 20yrs old)	Number of affected occupants per foot of pavement	Requires utility replacement? (WL is nonexistant, undersized, leak prone)	Requires curb repair?	PCR Score	Pavement Condition from PCR Score
Lincoln Ave	West End	Ray Ave	3	2001	0.134		No	69	Poor
Francene Court	Barry Drive	Cul-de-sac	3	2000	0.070		No	66	Poor
Edgewood Drive	Northfield Dr	Sycamore Drive	3	1997	0.155		No	62	Poor
Renick Ave	North End	Half Ave	3	2005	0.051		No curb	68	Poor
Walnut Street	S Washington St	Clinton St	3	1992	0.045		Yes	60	Poor
Plaza Drive	Nicholas Dr	Nicholas Dr	3	1992	0.045	WL	No	60	Failing
Court Street S	Main St	Franklin St	1	1993	0.041		No	60	Failing
Brokaw Ave	Parkview Ave	Highland Ave	3	2004	0.039	WL	No curb	68	Poor
Fairview Blvd	142 Fairview	Lancaster Pk	3	2001	0.038		No	65	Poor
Folsom Ave	Woodland Dr	N Pickaway St	3	1992	0.037		No curb	50	Failing
Scioto Street S	W Mill St	W Corwin St	2	1992	0.037		Yes	55	Failing
Washington St S	E Union St	E Mill St	2	2001	0.036		Yes	64	Poor
Pearl St	S Pickaway St	S Washington St	3	1992	0.035	storm sewe	Yes	67	Poor
Hayward Street	West End	N Scioto St	3	1996	0.035	STORM	Yes	59	Failing
Scioto Street N	Cul De sac	W Water St	2	1994	0.033		No	66	Poor
Edgewood Drive	Victor Dr	Buckley Dr	3	1997	0.060		No	67	Poor
Huston St W	Maplewood Ave	S Scioto St	3	1989	0.032	WL	No curb	60	Poor
Watt Street	N Court St	N Pickaway St	2	2009	0.032		No	65	Poor
Gale Court	West End	Pontius Ln	3	1990	0.032		Yes	64	Poor
Hayward Street	N Scioto St	N Court St	3	1996	0.031	STORM	Yes	49	Failing
Walnut Street	S Pickaway St	S Washington St	3	1992	0.031		Yes	60	Poor
Parkview Ave	West Rd	Brokaw Ave	3	1996	0.031	WL	Yes	62	Poor
Union St W	S Scioto St	S Court St	3	1990	0.031		Yes	62	Poor
Sherwood Drive	Nicholas Dr	Cul-de-sac	3	1996	0.031		Yes	54	Failing
Mill St W	Elm Ave	S Court St	3	1993	0.030		Yes	64	Poor
Court Street N	Hayward St	York St	1	1999	0.030		Yes	64	Poor
Franklin Street E	Mingo St	SR 56	2	2004	0.030	WL	No	57	Failing
Water Street	Western Ave	N Scioto St	3	2004	0.030		No	60	Poor
Court Street S	Corwin St	Ohio St	1	2003	0.029		No	61	Poor
Scioto Street S	W Corwin St	W Ohio St	2	1992	0.029	WL	Yes	58	Failing
Town Street	S Pickaway St	2nd Ave	3	1992	0.029		No curb	70	Poor
Union St E	S Court St	S Pickaway St	3	1990	0.028		Yes	59	Failing
Margaret Lane	S Washington St	Clinton St	3	1994	0.028	WL	No curb	60	Poor
Scioto Street N	W Water St	W High St	2	1994	0.028		No	63	Poor
Renick Ave	Half Ave	E Ohio St	3	2005	0.028		No curb	70	Poor
South Street	3rd Ave	4th Ave	3	1996	0.027	WL	No curb	67	Poor
Turner Drive	Town St	South End	3	1996	0.027		No curb	57	Failing
Avon Drive	Maumee Dr	Sunnyview Dr	3	1998	0.027	WL	No	68	Poor

Street Name	From	To	Usage	Year Last Resurfaced (if no date is found, assume 20yrs old)	Number of affected occupants per foot of pavement	Requires utility replacement? (WL is nonexistent, undersized, leak prone)	Requires curb repair?	PCR Score	Pavement Condition from PCR Score
Highland Ave	West Rd	N Court St	3	1992	0.027		No curb	69	Poor
John St	Mound St	Lincoln Ave	3	2000	0.027		No curb	51	Failing
Montclair Ave	Guilford Rd	Beverly Rd	3	1990	0.027	STORM	No	54	Failing
Moats Drive	Griner Ave	Nicholas Dr	3	1992	0.027		Yes	54	Failing
Cedar Heights Rd	Lone Pine Rd	Lynwood Ave	3	2009	0.026	WL	No	67	Poor
John St	Lincoln Ave	Ohio St	3	2000	0.026		No curb	48	Failing
Eastmoor Ave	E Main St	E Mound St	3	1996	0.026	WL, STORM	No	54	Failing
Mulberry Road	Cedar Heights Rd	Northridge Rd	3	2005	0.026		No	68	Poor
Seyfert Ave	N Court St	Atwater Ave	3	1989	0.026		Yes	62	Poor
Chatham Road	Harwich Rd	405 Chatham	3	2004	0.026		No	65	Poor
Lynwood Ave	Cedar Heights Rd	Georgia Rd	3	1990	0.025		No	56	Failing
Abernathy Ave	Union St	Mill St	3	1992	0.025	WL	No curb	51	Failing
Weldon Ave	Clinton St	Cul-de-sac	3		0.025		No curb	59	Failing
Court Street S	Mill St	Corwin St	1	2003	0.025		No	59	Failing
Forestview Court	West End	Clark Dr	3	1996	0.025		No	67	Poor
Springhollow Road	Clark Dr	South End	3		0.025	WL	No	51	Failing
Avon Drive	Nicholas Dr	Maumee Dr	3	1998	0.025	WL	No	69	Poor
Eva Drive	E Main St	E Ohio St	3	1996	0.025		No curb	48	Failing
Brown Street	Lincoln Ave	Ohio St	3	2000	0.024		No curb	55	Failing
Washington St S	E Franklin St	E Mound St	2	2001	0.024		Yes	64	Poor
Brown Street	Mound St	Lincoln Ave	3	2000	0.024		No curb	54	Failing
Brokaw Ave	Rosewood Ave	Parkview Ave	3	2004	0.024		No curb	65	Poor
Water Street	N Court St	N Pickaway St	3	1990	0.024		Yes	50	Failing
Water Street	N Scioto St	N Court St	3	1990	0.023		No curb	56	Failing
Union St W	Western Ave	S Scioto St	3	1990	0.023		Yes	69	Poor
Washington St S	E Main St	E Franklin St	2	2001	0.023		Yes	63	Poor
Sunnyview Drive	Maumee Dr	East End	3	1998	0.023		Yes	70	Poor
Pickaway Street N	Folsom Ave	Linden Dr	2	2005	0.023		Yes	69	Poor
Union St E	S Pickaway St	S Washington St	3	1990	0.023		Yes	62	Poor
Faye Ave	North End	Lincoln Ave	3	2000	0.023		No curb	64	Poor
Kimberly Place	N Court St	Cul-de-sac	3	1992	0.023		Yes	68	Poor
Guilford Road	Northridge Rd	Montclair Ave	3	1994	0.022	WL	Yes	60	Poor
Sunshine Street	Atwater Ave	Wilson Ave	3	2001	0.022	WL	Yes	66	Poor
Lincoln Ave	Faye Ave	Brown St	3	2001	0.021		No curb	65	Poor
Willow Lane	Northview Ct	East Corp Limit	3		0.021		No	69	Poor
Lincoln Drive	Pershing Dr	Sunshine St	3	2000	0.021	WL	No	59	Failing
Beverly Road	Northridge Rd	Montclair Ave	3	1996	0.021	UNKNOWN	No	57	Failing
Lincoln Drive	Sunshine St	Atwater Ave	3	2000	0.021		No	65	Poor

Street Name	From	To	Usage	Year Last Resurfaced (if no date is found, assume 20yrs old)	Number of affected occupants per foot of pavement	Requires utility replacement? (WL is nonexistant, undersized, leak prone)	Requires curb repair?	PCR Score	Pavement Condition from PCR Score
Harrison Avenue	Maplewood Ave	S Scioto St	3	1994	0.020		No curb	64	Poor
Pickaway Street N	Sharon Rd	Folsom Ave	2	2005	0.020	WL	Yes	66	Poor
Maplewood Ave	Huston St	Harrison Ave	3	1989	0.020		Yes	58	Failing
Washington St N	E High St	Watt St	2	2003	0.020	WL	No	64	Poor
Washington St S	E Corwin St	Long Alley	2	1996	0.020		Yes	61	Poor
High Street E	N Washington St	Ruth Ave	2	1992	0.019		No	57	Failing
Scioto Street S	Cottage Hill Ln	Harrison Ave	2	2001	0.019		No curb	65	Poor
Rosewood Ave	Western Ave	Picnic Ave	3	1990	0.019	WL	No curb	57	Failing
High Street E	N Pickaway St	N Washington St	2	1992	0.019		No	67	Poor
Lincoln Ave	Ray Ave	Faye Ave	3	2001	0.019		No curb	62	Poor
Faye Ave	Lincoln Ave	E Ohio St	3	2000	0.019		No curb	64	Poor
Moats Drive	Pontius Ln	Griner Ave	3	1992	0.019		Yes	57	Failing
Lawnwood Court	Cul-de-sac	Meadow Ln	3	1997	0.018		Yes	64	Poor
Pershing Drive	Northridge Rd	Lincoln Dr	3	1992	0.018	WL	No	54	Failing
Abernathy Ave	Mound St	Union St	3	1992	0.018	WL	No curb	44	Failing
Lewis Ave	N Court St	N Pickaway St	3	1992	0.018	WL	No	56	Failing
Circle Drive east	Markley Rd	Northridge Rd	3	2001	0.018	WL	No	59	Failing
Sharon Road	N Pickaway St	Springhollow Rd	2	1996	0.017		No curb	62	Poor
Park Place	N Court St	Folsom Ave	3	1992	0.017	WL	No curb	49	Failing
Circle Drive south	Markley Rd	Markley Rd	3	2001	0.017	WL	No	59	Failing
Northfield Drive	Edgewood Dr	North End	3	2005	0.017		No	68	Poor
Lawnwood Drive	Meadow Ln	Ridgedale Dr	3	1997	0.017		No	66	Poor
Scioto Street S	W Huston St	Cottage Hill Ln	2	2001	0.017		No curb	65	Poor
Beverly Road	Monclair Ave	Pickaway St	3	1996	0.016	WL	No	61	Poor
Dartmouth Drive	Northridge Rd	Cul-de-sac	3	1995	0.016	WL	No curb	67	Poor
Maplewood Ave	Harrison Ave	South End	3	1989	0.016	WL	Yes	48	Failing
West Road	Highland Ave	Parkview Ave	3		0.016	WL	No curb	48	Failing
Rustic Drive	Pontius Ln	Rustic Ct	3	2000	0.016		Yes	63	Poor
Markley Road	Circle Dr	Circle Dr	3	2000	0.016	WL	No	69	Poor
Ridgewood Drive	North End	Forest Dr	3	1994	0.015		No curb	67	Poor
Scioto Street N	Hayward St	ODOT garage	3	1992	0.015		No curb	62	Poor
Kingston Pike	SR 56	E Ohio St	1	1995	0.015		No	70	Poor
Rosewood Ave	Picnic Ave	Brokaw Ave	3	1990	0.015	WL	No curb	49	Failing
Washington St S	E Mound St	E Union St	2	2001	0.015		Yes	66	Poor
Montclair Ave	N Court St	Guilford Rd	3	1990	0.015	WL, STORM	Yes	50	Failing
Circle Drive west	Northridge Rd	Markley Rd	3	2001	0.015	WL	No	59	Failing
Scioto Street S	Harrison Ave	South End	2	1992	0.015		No curb	65	Poor
Mill St E	S Washington St	Clinton St	3	1993	0.015		Yes	59	Failing

Street Name	From	To	Usage	Year Last Resurfaced (if no date is found, assume 20yrs old)	Number of affected occupants per foot of pavement	Requires utility replacement? (WL is nonexistent, undersized, leak prone)	Requires curb repair?	PCR Score	Pavement Condition from PCR Score
Rosewood Ave	Brokaw Ave	N Court St	3	1990	0.014		No curb	49	Failing
Ridgewood Drive	DuPont Dr	Edgewood Dr	3	1994	0.014		No curb	69	Poor
Georgia Road	Lewis Ave	Sunset Dr	2	2005	0.014		No	66	Poor
Collins Court	N Court St	East End	3	1990	0.014	WL	Yes	67	Poor
Ridgewood Drive	Forest Dr	DuPont Dr	3	1994	0.014		No curb	67	Poor
Ohio Street W	S Scioto St	Elm Ave	2	1995	0.014	STORM	No curb	67	Poor
Town Street	Turner Dr	Cul-de-sac	3	2005	0.013	WL	No curb	67	Poor
Court Street S	Ohio St	Huston St	1	2003	0.013		No	58	Failing
Lowery Lane	Town St	South End	3	1996	0.013		No curb	59	Failing
Lincoln Drive	Atwater Ave	Pershing Dr	3	2000	0.013	WL	Yes	59	Failing
McCrea Ave	E Main St	Watt St	2	1990	0.013		Yes	64	Poor
Washington St S	Pearl St	E Corwin St	2	2001	0.013		No	65	Poor
Huston St W	Rt 23	W Ohio St	3	1989	0.012	WL	No curb	60	Failing
Mill St W	Canal St	S Scioto St	3	1993	0.012		No curb	56	Failing
Mill St E	Clinton St	Abernathy Ave	3		0.012		No curb	54	Failing
Arbor Drive	Northridge Rd	Wood Ln	3	1994	0.010	WL	No curb	61	Poor
Corwin St E	S Washington St	Clinton St	2	1992	0.010		Yes	49	Failing
Washington St S	E Mill St	Pearl St	2	2001	0.010		No	65	Poor
Woodland Drive	Folsom Ave	Cul-de-sac	3		0.009	WL	No curb	51	Failing
Town Street	Lowery Ln	Progress Pkwy	3	2005	0.009	Ab WL	No	66	Poor
Town Street	Norfolk Ave	Turner Dr	3	2005	0.009	WL	No curb	67	Poor
Mill St W	S Scioto St	Elm Ave	3	1993	0.008		Yes	59	Failing
Folsom Ave	Park Pl	Woodland Dr	3	1992	0.008		No curb	50	Failing
Maplewood Ave	W Ohio St	Huston St	3	1989	0.008		Yes	64	Poor
Harrison Avenue	S Scioto St	S Court St	3	1994	0.008		Yes	60	Poor
Court Street N	Park St	Reber Ave	1	1999	0.008		No	70	Poor
Washington St S	Long Alley	E Ohio St	2	1996	0.008		Yes	67	Poor
Sperry Drive	West End	US 23	2	1996	0.007	STORM	No curb	60	Failing
Edgewood Drive	Dunkel Rd	Dead End	3	1997	0.007		No	66	Poor
Western Ave	Highland Ave	Rosewood Ave	3		0.007	WL	No curb	55	Failing
Huston St E	S Court St	S Pickaway St	3	1989	0.005		No curb	63	Poor
Morris Road	Atwater Ave	Lone Pine Rd	3	1993	0.005		No	69	Poor
Huston St W	S Scioto St	S Court St	3	1989	0.005		No curb	65	Poor
Town Street	Progress Pkwy	Norfolk Ave	3	2005	0.005	WL	No curb	67	Poor
Bolender Pontius	Eastwood Dr	Old Tarlton Rd	2	1996	0.005		No curb	69	Poor
Hillcrest Drive	N Court St	Meadow Dr	3	1992	0.005		No curb	68	Poor
Hassle Dr	Island Rd	End	3		0.004		No	63	Poor
Ohio Street W	Canal St	S Scioto St	2	1995	0.004		No curb	67	Poor

Street Name	From	To	Usage	Year Last Resurfaced (if no date is found, assume 20yrs old)	Number of affected occupants per foot of pavement	Requires utility replacement? (WL is nonexistent, undersized, leak prone)	Requires curb repair?	PCR Score	Pavement Condition from PCR Score
Pickaway Street S	Railroad	E Ohio St	1	1995	0.003		Yes	56	Failing
Canal Street	High St	Main St	3	1996	0.000		No curb	35	Failing
Canal Street	Main St	Mound St	3	1996	0.000		No curb	35	Failing
Canal Street	Mill St	Ohio St	3	1996	0.000		No curb	35	Failing
Canal Street	Mound St	Mill St	3	1992	0.000		No curb	35	Failing
Huston St E	S Washington St	Clinton St	3	1989	0.000		No curb	51	Failing
Huston St E	S Pickaway St	S Washington St	3	1989	0.000		No curb	64	Poor
Sumpter Ave	Moat	RR Tracks					No curb		Failing

-  2017 Mill and Fill
-  2017 Cape Seal
-  Potential CDBG Project
-  Infrastructure Improvements needed prior to paving
-  2017 OPWC Project
-  2017 Expose Brick (Fill only if necessary)